

sanizoo

PREMIXES AND FEED ADDITIVES

SANI LIVER TONIC

COMPOSITION - each one liter contains:

ITEMS

Additives per Lt

Chemically well-defined substances having a similar biological effect of vitamins

Niacinamide (3a315 Vitamin PP)

AMOUNT

5 000

UNIT

mg

L-Carnitine (3a910)

10 000

mg

Betaine HCl/Betaine Hydrochloride (3a925)

30 000

mg

Vitamins, provitamins and chemically well-defined substances having similar effect

Choline Chloride (3a890)

60 000

mg

Natural or corresponding synthetic chemically defined flavourings

Glycine

5 000

mg

L-Glutamic Acid

5 000

mg

Amino acids, their salts and analogues

DL-Methionine, technically pure (3c301)

10 000

mg

L-Lysine Monohydrochloride, technically pure (3.2.3)

10 000

mg

Liquid extract of herbs

Boldo Plant Extracts

5 000

mg

Artichoke Plant Extracts

5 000

mg

Carriers

Magnesium Sulphate Heptahydrate

50 000

mg

Sorbitol

250 000

mg

Demineralized water ... up to

qsp

1 Lt



USE AND DOSAGE: orally via drinking water

Poultry : 500 ml per 2000 liters of drinking water


Medicated drinking water should be used within 24 hours.

INDICATION: optimization of the liver and prevention and correction of fat deposits

Packing: Bottle of 1000 ml. Canister of 5 liters.

Country Of Origin:

ITALY



Sanizoo S.r.l.
Certificate No. 01 100 047383

